ARM 36.22;307, 601, 605, 1003, 1004, 1011, 1013, 1103, 1222, 1240, 1301, 1306, 1309, and 1417

Submit In Quadruplicate To:

MONTANA BOARD OF OIL AND GAS CONSERVATION 2535 ST. JOHNS AVENUE BILLINGS. MONTANA 59102 MONTANA 69102


MONTANA BOARD OF OIL &
GAS CONSERVATION • BILL OF

	BIEEH100, III	ZIVIZIVA	33102				
S	SUNDRY NOTICES AN	ID REPO	RT OF WELLS				
Operator EMEP Operating, LLC Address 1200 Smith Street, Ste 680			Lease Name: Caroline				
City Houston State TX Zip Code 77002			Type (Private/State/Federal/Tribal/Allotted); Private				
Telephone 346-261-1474	Fax		Well Number: 1-32H				
Location of well (1/4-1/4 section and NW NW 330' FNL, 330' FWL (Section 33	,		Unit Agreement Name:				
			Field Name or Wildcat: Elm Coulee				
API Number: Well Type (oil, gas, injection, other			Township, Range, and Section: T26N, R53E, SEC 32				
25 083 22210 0000 - State County Well	Oil		County: Richland				
Indicate below with an X the nature	of this notice, report, or other	data:					
Notice of Intention to Change Plans Notice of Intention to Run Mechanic Notice of Intention to Stimulate or to Notice of Intention to Perforate or to Notice of Intention to Abandon Well Notice of Intention to Pull or Alter C Notice of Intention to Change Well Supplemental Well History Other (specify) Refrac Describe planned or completed work in necessary. Indicate the intended startir	cal Integrity Test c Chemically Treat c Cement d Status Describe Proposed or Odetail. Attach maps, well-bore co	Subsequent Report of Mechanical Integrity Test Subsequent Report of Stimulation or Treatment Subsequent Report of Perforation or Cementing Subsequent Report of Well Abandonment Subsequent Report of Pulled or Altered Casing Subsequent Report of Drilling Waste Disposal Subsequent Report of Production Waste Disposal Subsequent Report of Change in Well Status Subsequent Report of Gas Analysis (ARM 36.22.1222) Completed Operations: onfiguration diagrams, analyses, or other information as					
EMEP Operating, LLC ("EMEP") respect							
Please find attached (1) EMEP's Recom	pletion Procedure for the Caroline	: 1-32H, and (2) the Fracturing Fluid Disclosure.				
			signed hereby certifies that the information contained on tition is true and correct:				
Approved MAR 0 7 2023		3/1/2					
Name	Admin Plet Engineer	Kyle D. Dubiel - Vice President BD, Land and Legal Print Name and Title Telephone: (346) 261-1474					

SUPPLEMENTAL INFORMATION

NOTE: Additional information or attachments may be required by Rule or by special request.

Plot the location of the well or site that is the subject of this notice or report.



BOARD USE ONLY

CONDITIONS OF APPROVAL

Failure to comply with the conditions of approval may void this permit.

Client:

Eagle Mountain Energy Partners

Disclosure Type:

Pre-Job

Well:

Caroline 1-32H

Basin/Field: State: Williston Basin

County:

Montana Richland

Date Prepared:

2/15/2023



Fluid Name	Volume (gal)	Additive	Additive Description	Concentration	Volume
		100 Mesh	Proppant	Varied Concentrations	300000 lb
		40/70 White	Proppant	Varied Concentrations	2000000 lb
		20/40 White	Proppant	Varied Concentrations	800000 lb
		20/40 Super LC	Proppant	Varied Concentrations	400000 lb
		ELEHV-6	Friction Reducer	1.40 gal / 1000 gal	5012 gal
		BioSuite GQ123x	Bactericide/Biocide	0.25 gal / 1000 gal	894 gal
		ELENE-4	Non-Emulsifier	0.50 gal / 1000 gal	1797 gal
Clieboontes	2 574 000	ELEScale-2	Scale Inhibitor	0.25 gal / 1000 gal	894 gal
Slickwater	3,574,800	ELEBR-6	Breaker	0.65 gal / 1000 gal	2337 gal
		ELECCL-10	Clay Control	1.00 gal / 1000 gal	3574 gal
		BioSuite GQ123xWM	Bactericide/Biocide	0.01 gal / 1000 gal	20 gal
		BioSuite GQ510x	Bactericide/Biocide	0.01 gal / 1000 gal	20 gal
	1	ELESurf-5	Surfactant	0.01 gal / 1000 gal	20 gal
		HCI-15	Solvent	0.28 gal / 1000 gal	1000 gal
		ACI-102HT	Corrosion inhibitor	0.00 gal / 1000 gal	10 gal
		IC-50S	Iron Control	0.00 gal / 1000 gal	10 gal

Client:

Eagle Mountain Energy Partners

Disclosure Type:

Pre-Job

Well:

Caroline 1-32H

Basin/Field:

Williston Basin

State:

Montana

County:

Richland

Date Prepared:

2/15/2023



CAS Number	Chemical Name	Trade Name	Mass Fraction
7732-18-5	Water		89.12130%
14808-60-7	Crystalline Silica (Quartz)		5.97852%
14808-60-7	Crystalline Silica (Quartz)		2.39141%
14808-60-7	Crystalline Silica (Quartz)		1.18375%
14808-60-7	Crystalline Silica (Quartz)		0.89678%
7732-18-5	Water		0.07193%
64742-53-6	Distillates (petroleum), hydrotreated light naphthenic		0.06869%
9003-35-4	Phenolic Resin		0.05979%
7732-18-5	Water		0.05495%
25987-30-8	2-propenoic acid, polymer with 2-propenamide, sodium salt		0.04259%
64742-47-8	Distillates (petroleum), hydrotreated light		0.04122%
7786-30-3	Magnesium chloride		0.02606%
9004-54-0	Dextran		0.02606%
7447-40-7	Potassium Chloride		0.02085%
7732-18-5	Water		0.02016%
67-56-1	Methanol		0.02016%
67-56-1	Methanol		0.00647%
75-91-2	Tert-Butyl hydroperoxide		0.00612%
69011-36-5	Poly(oxy-1,2-ethanediyl),a-tridecyl-w-hydroxy-,branched		0.00412%
57-13-6	Urea		0.00412%
7647-01-0	Hydrochloric Acid		0.00401%
111-30-8	Glutaraldehyde		0.00341%
1338-43-8	Sorbitan, monoleate		0.00275%
79-06-1	Acrylamide (as residual)		0.00137%
7173-51-5	Didecyl dimethyl ammonium chloride		0.00114%
68424-85-1	Alkyl dimethyl benzyl ammonium chloride (C12-16)		0.00114%
9041-33-2	Polyalkylene Oxide		0.00081%
4719-04-4	Preservative		0.00052%
7732-18-5	Water		0.00045%
15827-60-8	Organophosphonate		0.00032%
67-56-1	Methanol		0.00032%
107-21-1	Ethylene Glycol		0.00030%
77-92-9	2-hydroxypropane-1,2,3-tricarboxylic acid		0.00019%
107-21-1	Ethylene glycol		0.00013%
7647-01-0	Hydrochloric Acid		0.00011%
111-30-8	Glutaraldehyde		0.00010%
68424-85-1	Alkyl dimethyl benzyl ammonium chloride (C12-16)		0.00005%
68-12-2	N,N-Dimethylformamide		0.00003%
9003-11-6	Polyethylene/propylene block polymer		0.00004%
78355-51-8	Linear alkyl sulfate		0.00003%
15619-48-4	1-(Benzyl)quinolinium chloride		0.00003%
111-30-8	Glutaraldehyde		0.00003%
68424-85-1	Alkyl dimethyl benzyl ammonium chloride (C12-16)		0.00003%
127087-87-0	Nonylphenol ethoxylated		
104-55-2	Cinnamaldehyde		0.00001%
68603-15-6			0.00001%
	Alcohols, C6-12		0.00001%
111-76-2	Ethanol, 2-Butoxy-		0.00001%
78-40-0	Triethyl phosphate		0.00001%
67-56-1	Methanol	Total	0.00001% 100%

Fewcoure Start Date/Lime:	
Fracture End Date/Time	
State	Marriage
County	Rhelidend
API Number	25-963-22216-000W
Operator Number:	Marie Williams
Well Name:	Caroline (-021)
Federal Well:	Ne
Indian Well	No.
Longitude	404.9104725
Latitude	47,5083436
Long/Lat Projection:	NAD40
True Vertical Depth (TVD):	9074
Total Clean Fluid Volume (gal)*:	





Additive	Spealfic Graving	Additive Quantity	Man éltij
Water	134	3,514,900	29,813,832
100 Medi	(idrend) reported in this)	340,000	700,000
40/26 White	(already reported in the)	1,660,000	2,000,000
20:40 White	(already reported as flux)	200,008	200,000
20/40 Super LC	(alterady reported in Ibu)	478,500	400,000
ELEHV-4	9.17	5.012	4.5,960
BiaSuite GQ123):	8.53	854	7,603
ELENE-L	231	3777	13,448
7.LEScale-1	1.06	104	7,210
DLEBM-6	6.76	1.137	20,463
FIXCULA	9.75	3.574	34,874
BioSmita GQ123xWM	E44	10	169
HieSuna GQ510a	8.54		171
ELESuri-3	8.54		167
HCI-15	8.93	£,000	4,952
ACT-102HT	9.03	10	*1
TC-50X	10.82		101
			Total Slurry Muss (Lbu)

nyredi	ents	Like	tions	

Ingredients Section:							J.J. 153.092	
Tende Name	Supplier	Purpose	fugerdients	Chemical Abstract Service Number (CAS #)	Maximum Ingredient Concentration in Additive (% by mass)**	Mass per Component (LISS)	Maximum Ingredient Concentration in HF Fluid (% by moss)**	Comments
Mer	Operator	Currier	Carrier	7702-18-1	100.00%	29,813,832	89.12130°a	
# Mesh	Element	Propposit	MSDS and Non-MSDS Ingredients Little Delow					
70 White	Element	Propuns	MSD5 and Non-MSDS Ingredients Listed fiele-					
Vatr White	Element	Proppant	MSDS and Non-MSDS Ingredients Listed Below					
1:40 Super LC	Covin	Proppall	MSDS and New-MSDS Ingredients Listed Below					
LEHV-6	tilenest	Friction Reducut	MSDS and Non-MSDS Ingredients Listed Below					
ioSuite GQ123 s	BioSuite	Plactericide Thingide	MSDS and Non-ASDS Ingredients Listed Below					
ENE-4	Element	Non-Emphifica	MSDS and Non-MSDS Ingredients Listed Below					
LEScale-1								-
	Element	Scale Inhibitor	MSDS and Non-MSDS Ingredients Lined Heiow					
LEDR-6	Element	Beesker	MSDS and Non-MSDS Ingredients Listed Below					
TECCT-10	District	Clay Control	MSDS and Non-MSDS Ingredients Listed Below					
ioSuite GQ123xW51	DioSuite	Dactericide/Biocide	MSDS and New-MSDS Ingrofitom Listed Below					
oSuite QQ3101	DiaSoite	Hacterieide/Hisocide	MSDS and Non-MSDS Ingredients Listed Below					
LESurG-5	Llement	Surfacture	MINDS and Non-MINDS Ingredients Listed Below					
CEIN	Element	Solvent	MSDS and Non-ASIDS Ingredients Listed Below					
CI-102HT	WST	Convision inhibitur	MSDS and Non-MSDS Ingredients Listed Delow					
-365	WST	Stron Control	MSDS and Non-MSDS Ingredients Listed Below					
		and the purpose(s) of the additive(s) are	listed obove. The impediant(s) for the above additive(s)	are Boyel bytes		-		
and the second second				114808-60-7	100700		7711111	
	Eleosem	Propport	Crystalline Silica (Quarte)		(66.60*s	2,000,000	5,972521.	
	Element	Propposit	Crystallina fidica (Quarte)	14802-60-7	100.00**	808,008	2.39141%	
	Covar	Propport	Crystalline Silica (Quarta)	14802-69-7	99.007+	190,000	1.11173%	
	Libernetti	Propport	Crystalline Silica (Quartz)	14103-69-7	100.00%	500,000	0.89678**	
	Eliment	Clay Control	Water	7732-18-3	69,00%	24,067	0.07193**	
	Clement:	Friction Redocer	Distillates (petroleum), hydrotreated light miphthesis	64742-53-6	30.00%	22,940	0.04869*.	
	Cocia	Proppant	Phenolic Resin	9003-33-4	3,00%	28.000	0.059791	
	Element	Friction Badacer	Water	7732-18-3	40.00%	18,387	0.03495**	
	Element	Friction Redocur	2-propensic acid, polymer with 2-propunanide, sodium	23987-30-4	31.00%			
	Flemen	Friction Reducer	2-propenine acid, polymer with 2-propositione, sodium			14,243	0.04259**	
			Distillates (petroleum), hydrotesated light	64742-47-8	30.00*	13,788	0.04122**	
	Dement	Clay Control	Magnetium chloride	7786-30-3	25,00%	8,719	0.0260574	
	Uenot.	Clay Control	Destran	9004-54-0	25.00%	8,719	0.02466*.	
	Clement	Clay Control	Potsumen Charide	7447-40-7	20.00%	6,973	0,02035**	
	Element.	Non-Ennhalter	Water:	2732-18-3	50.00%	6.741	0.02016**	
	Element	Non-Equilifier	Methanol	67-36-1	30.00%	6,741	0.02016*	
	Element	Scale Inhibitur	Methanil	67-36-1	30.00%	2,161	9.08647%	
	Element	Cleanar	Tert-Duty1 hydroperoxide	75-91-2	10.001	2,047	2.66612**	
	Element	Friction Robuces	Poly(oxy-1,2-ethanoliy1).a-tridecy1-w-bydroxy-,branche		3,00%			
	Element	Friction Reducar				1,179	0,00412**	
	Limon	Solveni Restricts	Ures	37-13-6	3.00%	1,379	0.00412%	
			Hydrochloric Acid	7647-01-0	15.80%	1.11)	0.00101**	
	PiieSnite	Hactericide/Hiocide	Glaturaldehyste	131-30-3	15,00%	1.111	0.003714	
	Elenos	Friction Reducer	Norbitan, mimolexte	1338-43-8	2.00%	919	9.66373**	
	Element	Friction Reducet	Acrylamide (us residual)	79-06-1	1.004+	160	0.00137*.	
	HioSnitz.	Barterietde Biocide	Didecyl dimethyl ammonium chloride	7173-51-5	5.00%	110	0.001145.	
	DioSulta	Bactericide Biocide	Alkyl dimethyl besstyl ammonism chloride (C12-16)	68424-83-1	5.00%	110	8.60114*4	
	Element	Non-Ermbolio	Polyalkylene Oxide	9941-33-2	2.80%	278	2,60082%	
	Element	Clay Control	Preservative	1719-01-1	0.50%	174:	2.00052%	
	Dement	Surfactant						
	Elemen	Scale Inhibitur	Water	7732-18-5	90.00%	130	0.00045**	
			Organophosphurate	11127-60-E	1.50%	101	0.00032**	
	BioSuite	fluctericide Biocide	Methaniel	67-36-1	60.00%	101	R.00036**	
	Element	Scale Inhibitor	Ethylene Glycol	107-21-1	1.00%	77	4.00021%	
	WST	Iron Control	2-hydroxypropune-1,2,3-tricarboxylic acid	77-92-9	+500.03	- 65	#.00019**	
	W8T	Corresion inhibitur	Ethylenic glycol	107-21-1	49,0014	34	2,00011%	
	Element	Clay Control	Hydrochloric Acid	7647-91-0	3,10%	13	2.00010*.	
	HioSuite	Bactericide Biocide	Ohtaraldehyda	111-30-4	14,99%	23	e.00005*.	
	HioStata	Bachericido/Biocide	Alkyl dimethyl berayl ammonium elilorida (C12-16)	68424-95-1	10.00%	17	0.00003*-	
	WST	Corresion inhibitor	N.N-Dimethylformaraide	61-12-2	13.60%	11	8,0000/*	
	Efenicot	Sorfactant	Polyethylene propytene bleck polymer	5003-11-6	7.00%	72	0.000037.	
	Element	Nortactant						
			Linear alkyl sulfate	78333-31-8	7,00%	12	#.0000J1.	
	WST	Corrosom inhibitor	I-(Bessy))gonolinium chloride	15619-48-4	10.00*,	,	#.0000J*a	
	HioSuin	Hactericide Hisocide	Obstarablebyde	111-30-8	5.60%	9	*1,0000.1*	
	DieSuite	Dactericide Diocide	Alkyl dimethyl berryl amminium chloride (C12-16)	68424-55+1	4.5%**	1	#. #000J**	
	WS?	Corrusion inhibitor	Nonylphonol ethoxylated	127987-87-0	5.00%	3	A,80001*+	
	WST	Comusion solidator	Ciresmoldeleyde	104-55-1	5.00%	3	#.#000/**	
	WS7	Corrusion arbibition	Alcohors, C6-12	63603-13-6	5.00%	1	#.66667°	
	WAT	Corrotion inhibitor	Ethicol, 2-Dimiry	111-76-2	5.00%	1	#. #0001*s	
	WST	Conovion inhibitor						
			Triethyl phosphate	78-40-5	5.60%	3	0.00001**	
	Element	Sorfacture	Methania	67-16-1	2.00%	3	8,80002**	
	4							

*Total Water Volume sources may include fresh water, produced water, and/or recycled water

**Unformation is based on the maximum potential for concentration and thus the total may be over 100%

All comparent information listed was obtained from the supplier's Material Safety Data Sheets (MSDS). As such, the Operator is not responsible for inaccurate and or incomplete information. Any questions regarding the content of the MSDS should be directed to the supplier who provided it. The Occupational Safety and Itealth Administration's (OSIIA) regulations govern the criteria for the disclosure of this information, Please note that Federal Law protects "proprietary", "trade secret", and "confidential butiness information" and the criteria for how this information is reported on an MSDS is subject to 29 CFR 1910.1209(f) and Appendix D.

MONTANA BOARD OF OIL AND GAS ATTACHMENT TO FORM 2 "CONDITIONS OF APPROVAL"

A. Field Inspector must be notified at least **24 hours** in advance of the start of fracture stimulation operation.

B. <u>36.22.1106</u> SAFETY AND WELL CONTROL REQUIREMENTS – HYDRAULIC FRACTURING

- (1) New and existing wells which will be stimulated by hydraulic fracturing must demonstrate suitable and safe mechanical configuration for the stimulation treatment proposed.
- (2) Prior to initiation of fracture stimulation, the operator must evaluate the well. If the operator proposes hydraulic fracturing through production casing or through intermediate casing, the casing must be tested to the maximum anticipated treating pressure. If the casing fails the pressure test it must be repaired or the operator must use a temporary casing string (fracturing string).
 - (a) If the operator proposes hydraulic fracturing though a fracturing string, it must be stung into a liner or run on a packer set not less than 100 feet below the cement top of the production or intermediate casing and must be tested to not less than maximum anticipated treating pressure minus the annulus pressure applied between the fracturing string and the production or immediate casing.
- (3) A casing pressure test will be considered successful if the pressure applied has been held for 30 minutes with no more than ten percent pressure loss,
- (4) A pressure relief valve(s) must be installed on the treating lines between pumps and wellhead to limit the line pressure to the test pressure determined above; the well must be equipped with a remotely controlled shut-in device unless waived by the board administrator should the factual situation warrant.
- (5) The surface casing valve must remain open while hydraulic fracturing operations are in progress; the annular space between the fracturing string and the intermediate or production casing must be monitored and may be pressurized to a pressure not to exceed the pressure rating of the lowest rated component that would be exposed to pressure should the fracturing string fail.

History: 82-11-111, MCA; IMP, 82-11-111, MCA; NEW, 2011 MAR p. 1686, Eff. 8/26/11.